DENTON OFFICE SOLUTIONS PTY (LTD)

Reg: 2003/026983/07

Vat: 4340210410

BUSINESS MACHINES

PRODUCT CATALOGUE

2013

www.dosptyltd.com

Tel: (011) 792 3857

Fax: (011) 792 9732

PO. Box 2411, Cresta, 2118

Email: tanya@dosptyltd.com

- **Protect confidential company information**
- **Securely dispose of confidential documents**
- **Straight and Crosscut shredding for extra security**
- **Shredding of paper, Credit Cards Cd's, and DVD's**
- **Helps aid the recycling process**
- **Assurance that important confidential company data is safe**

Home Office

The DSB Auto-Feed Paper Shredder has a specialised function for continuous paper shredding allowing you to be more efficient by shredding up to 75 sheets in one cycle.

AF - 75

Automatic Start-stop
Shreds 6 Sheets at a time
3 x 9mm Micro Cut
Low noise level
23 litre Bin
Shreds CD /DVD

	AF - 75
Shred Type	Micro Cut
Security Level	4
Shred Size	3 x 9mm
Entry Width	230mm
Sheet Capacity	6 sheets
Auto Shred Capacity	75 sheets
Waste Capacity	23 litres
Power (watts)	230
Dimensions (mm)	440 x 330 x 570

Home

Kobra S100

Automatic Start-stop
Shreds 10-12 Sheets at a time
3,5mm Strip Cut
Entry width 220mm
35 litre Bin

Home Office

Kobra 1SS4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 17-19 sheets at a time, strip cut
Shreds credit cards, cd's and DVD's
38,5 litre removable waste bin

Kobra 1SS6

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 23-25 sheets at a time, strip cut
Shreds credit cards, cd's and DVD's
38,5 litre removable waste bin

	Kobra S100	Kobra 1SS4	Kobra -1SS6
Shred Type	Strip Cut	Strip Cut	Strip Cut
Security Level	2	2	2
Shred Size	3,5mm	3,8mm	5,8mm
Entry Width	220mm	230mm	230mm
Sheet Capacity	10-12 sheets	17-19 sheets	23-25 sheets
Power (Watts)	200	250	250
Waste Capacity	35 litres	38,5 litres	38,5 litres
Dimensions (mm)	370 x 330 x 520	390 x 300 x 590	390 x 300 x 590

Home Office

Kobra +1CC4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 12-14 sheets, Cross Cut
Shreds credit cards
38,5 litre waste bin

Kobra +2SS4

24 hours continuous duty operation
Auto start/stop
Shreds 17-19 sheets
3,8mm strip cut for paper
22,5mm strip cut for Cd's and credit cards
38,5 litre + 1,5 litre - double waste bin

Kobra +3C4

Special "THROW AND SHRED" system
for shredding crumpled paper
Shreds 12-14 sheets at a time
3,5 x 40mm Cross Cut
Noise level 65 dba
38,5 litre + 1,5 litre bin - double waste bin

Kobra +3CC4

Special "THROW AND SHRED" system
for shredding crumpled paper
Shreds 12-14 sheets at a time
3,5 x 40mm Cross Cut
Noise level 55 dba
38,5 litre + 1,5 litre double waste bin

	Kobra +1 CC4	Kobra +2SS4	Kobra +3C4	Kobra +3CC4
Shred Type	Cross Cut	Strip Cut	Cross Cut	Cross Cut
Security Level	3	2	3	3
Shred Size	3,5 x 40mm	3,8mm	3,5mm x 40mm	3,5 x 40mm
Entry Width	230mm	230mm	230mm	230mm
Sheet Capacity	12-14 sheets	17-19 sheets	12-14 sheets	12-14 sheets
Power (Watts)	250	250	250	250
Waste Capacity	38,5 litres	38,5 litres	38,5 litres	38,5 litres
Dimensions (mm)	390 x 300 x 590	390 x 300 x 590	390 x 300 x 590	390 x 300 x 590

Medium Office

Kobra 240 SS2

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 13-15 sheets at a time
1,9mm strip cut and shreds credit cards
35 litre double waste bin separates material

Kobra 240 SS5

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 27-29 sheets at a time, strip cut
5,8mm strip cut and shreds credit cards, Cd's, DVD's
35 litre double bin separates material

Kobra 240C4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Shreds 13-15 sheets at a time
3,5 x 30mm cross cut
Shreds credit cards
35 litre double bin separates material

Kobra 240 SS5 Turbo

"Turbo Boost" system for extra shred capacity
Auto start/stop through electronic eyes
Shreds 50-52 sheets, 3,8mm strip cut
Shreds credit cards, cd's and DVD's
35 litre double waste bin separates material

Kobra 240 C2 Turbo

"Turbo Boost" system for extra shred capacity
Auto start/stop through electronic eyes
Shreds 17-19 sheets, 3,5 x 30mm Cross cut
Shreds credit cards, cd's and DVD's
35 litre double waste bin

	Kobra 240SS2	Kobra 240 SS5	Kobra 240C4	Kobra 240 SS5 Turbo	Kobra 240 C2 Turbo
Shred Type	Strip Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut
Security Level	3	2	3	2	4
Shred Size	1,9mm	5,8mm	3,5 x 30mm	5,8mm	1,9 x 15mm
Entry Width	240mm	240mm	240mm	240mm	240mm
Sheet Capacity	13-15 sheets	27-29 sheets	13-15 sheets	50-52 sheets	17-19 sheets
Power (Watts)	460	460	460	460	460
Waste Capacity	35 litres	35 litres	35 litres	35 litres	35 litres
Dimensions (mm)	370 x 330 x 560	370 x 330 x 560	370 x 330 x 560	370 x 330 x 560	370 x 330 x 560

Medium to Large Office

Kobra 260 S5

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 29-31 sheets,5,8mm strip cut
Shreds credit cards, cd's, DVD's,
85 litre waste bin

Kobra 260 C4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 15-17 sheets, 3,5 x 30mm cross cut
Shreds credit cards
85 litre waste bin

Kobra 300 SS4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 32-34 sheets, 3,8mm strip cut
Shreds credit cards, cd's, DVD's,
85 litre waste bin

Kobra 300 CC4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 22-24 sheets. 3,5 x 30mm cross cut
Shreds credit cards, cd's, DVD's,
85 litre waste bin

Kobra 385 SS4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 20-22 sheets, 3,8mm strip cut
Shreds credit cards
130 litre waste bin

Kobra 385 C4

24 hours continuous duty operation
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 15-17 sheets, 3,5 x 30mm cross cut
Shreds credit cards
130 litre waste bin

	Kobra 260 S5	Kobra 260 C4	Kobra 300 SS4	Kobra 300 CC4	Kobra 385 SS4	Kobra 385 C4
Shred Type	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Strip Cut	Cross Cut
Security Level	2	3	2	3	2	3
Shred Size	5,8mm	3,5 x 30mm	3,8mm	3,5 x 30mm	3,8mm	3,5 x 30mm
Entry Width	260mm	260mm	300mm	300mm	385mm	385mm
Sheet Capacity	29-31 sheets	15-17 sheets	32-34 sheets	22-24 sheets	20-22 sheets	15-17 sheets
Power (Watts)	460	460	920	920	460	460
Waste Capacity	85 litres	85 litres	85 litres	85 litres	130 litres	130 litres
Dimensions (mm)	430 x 310 x 380	430 x 310 x 830	430 x 310 x 830	430 x 310 x 830	580 x 350 x 850	580 x 350 x 850

Departmental

Kobra 400 S5

Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 60-62 sheets at a time,
5,8mm strip cut
Shreds credit cards, cd's, DVD's,
200 litre waste bin

Kobra 400 C4

Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 44-48 sheet at a time
3,9 x 40mm cross cut
Shreds credit cards, cd's, DVD's
200 litre waste bin

Kobra 400 WB

Cross cut shredding
Auto start/stop through electronic eyes
Auto stop with signal when bin is full
Shreds 40-48, 3,9 x 40mm cross cut
Shreds credit cards, cd's, DVD's,
200 litre waste bin

Hopper allows user to empty contents of a waste basket directly into the machine

Automatic mechanical feeding system with revolving flaps

	Kobra 400 S5	Kobra 400 C4	Kobra 400 WB
Shred Type	Strip Cut	Cross Cut	Cross Cut
Security Level	2	3	3
Shred Size	5,8mm	3,9 x 40mm	3,9 x 40mm
Entry Width	400mm	400mm	400mm
Sheet Capacity	60-62 sheets	44-48 sheets	44-48 sheets
Power (Watts)	2100	2100	2100
Waste Capacity	200 litres	200 litres	200 litres
Dimensions (mm)	600 x 480 x 930	600 x 480 x 930	600 x 480 x 1400

Industrial

Kobra Cyclone

High Volume shredding
Shreds up to 500 sheets at a time
Shreds credit cards, cd's, DVD's, bottles, aluminium cans & carton boxes
200 litre waste bin

Kobra Cyclone can shred 500 sheets of paper at a time and Cardboard, Carton boxes, Floppy disks, Blu-Ray, Cd's, DVDs, Credit Cards, Plastic Bottles and Aluminium Cans

Kobra Compactor C500

Sold separately
Kobra Cyclone can be attached to the optional Compactor model C-500 designed to reduce the volume of paper
Compacted paper can be collected in a plastic waste bag or any type of container

Level 006

Level 005

Level 004

Level 003

Level 002

	Kobra Cyclone
Security Level	2 / 3 / 4 / 5 / 6
Shred Size	Can be adjusted according to levels
Entry Width	325 x 220mm (L x H)
Sheet Capacity	500 sheets
Power (Watts)	6.000
Waste Capacity	400 litres
Dimensions (mm)	800 x 2120 x 2100

High Security

Kobra 240HS

Shreds 6-8 Sheets at a time
0,8 x 9,5mm Cross Cut
24 hours continuous duty operation
Entry width 240mm
35 litre Bin

Kobra 260HS

Shreds 6-8 Sheets at a time
0,8 x 9,5mm Cross Cut
24 hours continuous duty operation
Entry width 260mm
85 litre Bin

Kobra 400 HS

Shreds 17-19 Sheets at a time
0,8 x 9,5mm Cross Cut
24 hours continuous duty operation
Entry width 400mm
200 litre Bin

	Kobra 240HS	Kobra 260HS	Kobra 400HS
Shred Type	Cross Cut	Cross Cut	Cross Cut
Security Level	5	5	5
Shred Size	0,8 x 9,5mm	0,8 x 9,5mm	0,8 x 9,5mm
Entry Width	240mm	260mm	400mm
Sheet Capacity	6-8 sheets	6-8 sheets	17-19 sheets
Power (Watts)	460	460	2100
Waste Capacity	35 litres	85 litres	200 litres
Dimensions (mm)	370 x 330 x 560	430 x 310 x 830	600 x 480 x 930

Medium Office

S300 SC-1

Small Office Shredder
Shreds 19-21 Sheets at a time
3,8mm Strip Cut
Entry width 240mm
32 litre Bin

S300 CC-3

Small Office Shredder
Shreds 15-17 Sheets at a time
3,8 x 28mm Cross Cut
Entry width 240mm
32 litre Bin

S400 SC-1

Small to Medium sized Office Shredder
Shreds 19-21 Sheets at a time
3,8mm Strip Cut
Entry width 240mm
36 litre Bin

S400 CC-3

Small to Medium sized Office Shredder
Shreds 15-17 Sheets at a time
3,8 x 28mm Cross Cut
Entry width 240mm
36 litre Bin

	S300 SC-1	S300 CC-3	S400 SC-1	S400 CC-3
Shred Type	Strip Cut	Cross Cut	Strip Cut	Cross Cut
Security Level	2	3	2	3
Shred Size	3,8mm	3,8 x 28mm	3,8mm	3,8 x 28mm
Entry Width	240mm	240mm	240mm	240mm
Sheet Capacity	19-21 sheets	15-17 sheets	19-21 sheets	15-17 sheets
Power (Watts)	560	560	560	560
Waste Capacity	32 litres	32 litres	36 litres	36 litres
Dimensions (mm)	380 x 272 x670	380 x 272 x670	380 x 272 x 815	380 x 272 x 815

Medium to Large Office

S500 SC-1

General Office Shredder
Shreds 28-30 Sheets at a time
3,8mm Strip Cut
Entry width 260mm
65 litre Bin

S500 CC-3

General Office Shredder
Shreds 13-15 Sheets at a time
1,9 X 15mm Cross Cut
Entry width 260mm
65 litre Bin

S600 SC

Large Office / Departmental Shredder
Shreds 30 Sheets at a time
3,8mm Strip Cut
Entry width 405mm
140 litre Bin

S600 CC-4

Large Office / Departmental Shredder
Shreds 22 Sheets at a time
3,8 x 28mm Cross Cut
Entry width 405mm
140 litre Bin

S600 HS

High Security / Departmental Shredder
Shreds 10 Sheets at a time
0,8 x 12mm Cross Cut
Entry width 405mm
140 litre Bin

	S500 SC	S500 CC-3	S600 SC	S600 CC-3	S600 HS
Shred Type	Strip Cut	Cross Cut	Strip Cut	Cross Cut	Cross Cut
Security Level	2	3	2	3	5
Shred Size	3,8mm	3,8 x 28mm	3,8mm	3,8 x 28mm	0,8 x 12mm
Entry Width	260mm	260mm	405mm	405mm	405mm
Sheet Capacity	28-30 sheets	18-20 sheets	30 sheets	20-22 sheets	10 sheets
Power (Watts)	1100	1100	1100	1100	1100
Waste Capacity	65 litres	65 litres	140 litres	140 litres	140 litres
Dimensions (mm)	490 x 380 x 880	490 x 380 x 880	660 x 430 x 1070	660 x 430 x 1070	660 x 430 x 1070

Departmental

S700 SC-1

Large Volume Departmental Shredder
Shreds 50 Sheets at a time
3,8mm Strip Cut
Entry width 405mm
170 litre Bin

S700 CC-3

Large Volume Departmental Shredder
Shreds 45 Sheets at a time
3,8 x 40mm Cross Cut
Entry width 405mm
170 litre Bin

S700 CC-4

Large Volume Departmental Shredder
Shreds 30 Sheets at a time
1,9 x 15mm Cross Cut
Entry width 405mm
170 litre Bin

S700 HS

High Security Departmental Shredder
Shreds 18 Sheets at a time
0,8 x 12mm Cross Cut
Entry width 405mm
170 litre Bin

Industrial

S800 CC-3

Shreds 70-80 Sheets at a time
3,8 x 40mm Cross Cut
Entry width 420mm
240 litre Bin

	S700 SC-1	S700 CC3	S700 CC-4	S700 HS	S800 CC
Shred Type	Strip Cut	Strip Cut	Cross Cut	Cross Cut	Cross Cut
Security Level	2	3	4	5	3
Shred Size	3,8mm	3,8 x 40mm	1,9 x 15mm	0,8 x 12mm	3,8 x 40mm
Entry Width	405mm	405mm	405mm	405mm	405mm
Sheet Capacity	50 sheets	45 sheets	30 sheets	18 sheets	70-80 sheets
Power (Watts)	1100	1100	2600	2600	2.2KW
Waste Capacity	140 litres	140 litres	170 litres	170 litres	240 litres
Dimensions (mm)	660 x 580 x 1050	660 x 580 x 1050	660 x 580 x 1050	660 x 580 x 1050	760 x 580 x 1540

- **Present a better corporate and presentation image**
- **You enhance usability no more loose papers**
- **Protect and preserve documents - no more moisture damage and fading**
- **Add style and colour Comb colours match the style of presentation and labeling**
- **Eases document storability Binding papers and docs of similar topics and content**

TB-200e (Electrical)
Thermal Binding Machine

Affordable and easy to operate
Designed for high quality attractive documents
Binds up to 240 sheets
Binding thickness up to 24mm
Warms up in 2 minutes



CB-122
Plastic Comb Binding Machine

Punches up to 12 sheets at a time
Binds up to 500 sheets
Binding thickness up to 51mm
Paper thickness guide helps user select comb width
Adjustable edge guide
2 Step adjustable margin depth

	TB 200e	CB-122
Punching capacity	N/A	12 sheets of paper PVC 0,2mm cover - 2 sheets
Binding Capacity	Binds up to 240 sheets Thermal Cover 24mm	51mm (500 sheets)
Paper Format accepted	A4, Letter,	A4
Edge guide	N/A	2 steps adjustable
Punching depth	N/A	Horizontal
Loading of paper	Vertical	Manual
Punching Mode	N/A	4 kgs
Weight	1.2 kgs	410*270*240mm (BxDxH)
Machine Dimension	370*95*195mm (BxDxH)	

CW-4500 (Electrical)
all in 1 comb+wire (International Patented)

Punches up to 20 sheets - wire
Binds up to 140 sheets
Punches up to 25 sheets - comb
Binds up to 500 sheets
Dual punch and bind system for both comb & wire

CW-350 (Manual)
all in 1 comb+wire (International Patented)

Punches up to 15 sheets - wire
Binds up to 140 sheets
Punches up to 20 sheets - comb
Binds up to 500 sheets
Dual punch and bind system for both comb & wire

CW-150e (Electrical)
all in 1 comb+wire

Punches up to 15 sheets - wire
Binds up to 140 sheets
Punches up to 15 sheets - comb
Binds up to 500 sheets
Dual punch and bind system for both comb & wire
Unique design for wire hanging.

	CW-4500	CW-350	CW-150e
Punching capacity	32/34 holes wire - 20 sheets 19/21 holes comb - 25 sheets PVC 0,2mm cover - 2 sheets	32/34 holes wire - 15 sheets 19/21 holes comb - 20 sheets PVC 0,2mm cover - 2 sheets	32/34 holes wire - 15 sheets 19/21 holes comb - 15 sheets PVC 0,2mm cover - 2 sheets
Binding Capacity	O-wire: 5mm ~ 28mm (140 sheets) Plastic comb: 6mm ~ 51mm (500 sheets)	O-wire: 5mm ~ 28mm (140 sheets) Plastic comb: 6mm ~ 51mm (500 sheets)	O-wire: 5mm ~ 19mm (140 sheets) Plastic comb: 6mm ~ 51mm (500 sheets)
Paper Format accepted	A4, Letter,	A4, Letter,	A4, Letter,
Punch & Bind	Individual system for punch & bind which allows operating separately	Individual system for punch & bind which allows operating separately	Individual system for punch & bind which allows operating separately
Edge guide	Adjustable for A4. LTR	Adjustable for A4. LTR	Adjustable for A4. LTR
Punching depth	2 steps adjustable for plastic comb	2 steps adjustable for plastic comb	2 steps adjustable
Loading of paper	Vertical	Vertical	Vertical
Punching Mode	Electrical	Manual	Electrical
Weight	20 kgs	14 kgs	14.2 kgs
Machine Dimension	440*530*215mm (BxDxH)	460*430*205mm (BxDxH)	410*392*200mm (BxDxH)

CB-3000 (Electrical)

Plastic Comb Binding Machine

Punches up to 25 sheets
Binds up to 500 sheets
Capable of oversized punching and binding
Double blades for 21 & 3 or 4 holes punch
Margin depth adjustable

CB-230 (Manual)

Plastic Comb Binding Machine

Punches up to 20 sheets
Binds up to 500 sheets
Capable of oversized punching and binding
Double blades for 21 & 3 or 4 holes punch
Margin depth adjustable



CB-150e (Electrical)

Plastic Comb Binding Machine

Punches up to 15 sheets - comb
Binds up to 500 sheets
Double blades for 21 and 4 hole punching
Adjustable punch depth
Grip for inserting and opening comb
2-in-1 paper slot



	CB-3000	CB-230	CB-150e
Punching capacity	25 sheets of paper PVC 0,2mm cover - 2 sheets	20 sheets of paper PVC 0,2mm cover - 2 sheets	15 sheets of paper PVC 0,2mm cover - 2 sheets
Binding Capacity	Plastic comb: 6mm ~ 51mm (500 sheets)	Plastic comb: 6mm ~ 51mm (500 sheets)	Plastic comb: 6mm ~ 51mm (500 sheets)
Paper Format accepted	A4, Letter...Max. To 420mm	A4, Letter...Max. To 420mm	A4, Letter,
Punch & Bind	Individual system for punch & bind which allows operating separately	Individual system for punch & bind which allows operating separately	Individual system for punch & bind which allows operating separately
Edge guide	Adjustable for A4. LTR, A3, B4	Adjustable for A4. LTR, A3, A4	Adjustable
Punching depth	2 steps adjustable for plastic comb	2 steps adjustable for plastic comb	2 steps adjustable for plastic comb
Loading of paper	Vertical	Vertical	Vertical
Punching Mode	Electrical	Manual	Electrical
Weight	16.5kgs	12 kgs	14.2 kgs
Machine Dimension	440*530*195mm (BxDxH)	440*480*180mm (BxDxH)	410*392*200mm (BxDxH)

WR-2500 (Electrical)

Wire Binding Machine
3:1" and 2:1 "

Punches up to 25 sheets
Binds up to 250 sheets
Double blades for 2:1(21/23 holes) and 3:1(32/34 holes) punch
Individual system for punch and bind which allows operating seperately

WR-200 (Manual)

Wire Binding Machine
3:1" and 2:1 "

Punches up to 20 sheets
Binds up to 28mm 250 sheets
Double blades for 2:1(21/23 holes) and 3:1(32/34 holes) punch
Single handle design for punching and binding



WR-150e (Electrical)

Wire Binding Machine
3:1" and 2:1 "

Punches up to 15 sheets
Binds up to 19mm wire
Double blades for 2:1(21/23 holes) and 3:1(32/34 holes) punch.
Single paper slot for 2 binding types
Measure gauge to determine correct wire size

	WR-2500	WR-200	WR-150e
Punching capacity	3:1 (32/34 holes wire) - 25 sheets 2:1 (22/23 holes wire) - 25 sheets PVC 0,2mm cover - 2 sheets	3:1 (32/34 holes wire) - 20 sheets 2:1 (22/23 holes wire) - 20 sheets PVC 0,2mm cover - 2 sheets	3:1 (32/34 holes wire) - 15 sheets 2:1 (22/23 holes wire) - 15 sheets PVC 0,2mm cover - 2 sheets
Binding Capacity	O-wire: Max. 28mm (250 sheets)	O-wire: Max. 28mm (250 sheets)	Max 19mm (150 sheets)
Paper Format accepted	A4, Letter,	A4, Letter,	A4, Letter,
Punch & Bind	Individual system for punch & bind which allows operating separately	Operation by one handle bar	Individual system for punch & bind which allows operating separately
Edge guide	Adjustable for A4. LTR	Adjustable for A4. LTR	Adjustable for A4. LTR
Loading of paper	Vertical	Vertical	Vertical
Punching Mode	Electrical	Manual	Electrical
Weight	20.4kgs	14kgs	14.2kgs
Machine Dimension	460*540*195mm (BxDxH)	470*445*175mm (BxDxH)	410*392*200mm (BxDxH)

Designed and developed for intensive use, the new generation SUPERSTAR is a high performance professional electric punching machine for plastic comb binding. It can bind from 2 to 450 sheets up to A3 size.
With the SUPERSTAR, you can obtain exceptional performance to increase productivity and efficiency. SUPERSTAR is the ideal model for copy-shop, integrated printers workshops, and any professional who is looking for high quality document presentation..

Superstar Comb (Electrical)

Punches up to 35 sheets at a time
Binds up to 450 sheets
Up to A3 Format paper
Releasable dies allowing perfect centering for the perforation of any size of paper.
The punching space is open on both sides allowing for punching of sizes over 42cm



Superstar Wire (Electrical)

Wire Binding Machine
3:1”

Punches up to 30 sheets at a time
Binds up to 120 sheets
Up to A3 Format paper
Releasable dies allowing perfect centering for the perforation of any size of paper.
The punching space is open on both sides allowing for punching of sizes over 42cm



	Superstar Comb	Superstar Wire
Punching capacity	Punches 35 sheets 80gsm	3:1 - punches up to 30 sheets 80gsm
Binding Capacity	Max. 51mm comb (450 sheets)	Max. 14,3mm wire(120 sheets)
Paper Format accepted	up to A3	up to A3
Punch & Bind	Individual system for punch & bind which allows operating separately	Individual system for punch & bind which allows operating separately
Edge guide	Adjustable	Adjustable
Loading of paper	Vertical	Vertical
Punching Mode	Electrical with pedal or digital button	Electrical with pedal or digital button
Weight	72kgs	77kgs
Machine Dimension	65*67*70cm (BxDxH)	65*67*84cm (BxDxH)

The Megastar has been specially developed for all professional high volume and specific binding requirements, and offers exceptional performance allowing for gains in productivity and efficiency.
High Capacity electrical punching and binding machine with integrated, interchangeable or separate binding elements.
For all your document binding needs in formats up to 42cm or 161/2”

Megastar (Electrical)

7 Binding systems in One

Punches up 35 sheets
Binds up to 450 sheets
7 Different Binding systems
Releasable dies allowing perfect centering for the perforation of any size of paper.
The punching space is open on both sides allowing for punching of sizes over 42cm

	Comb	Wire 2:1	Wire 3:1	Wire 3:1
Block				
Punching capacity	30 sheets A4 - 80gsm	30 sheets A4 - 80gsm	30 sheets A4 - 80gsm	30 sheets A4 - 80gsm
Binding Capacity	450 sheets	300 sheets	120 sheets	120 shhets
Pitch	14.28mm	12,7mm - 2:1”	8,47mm - 3:1”	8,47mm - 3:1”
Description	Rectangular holes - 3 x 8 mm with all releasable punching dies and adjustable punching margin	Round holes - 6mm with all releasable punching dies and adjustable punching margin	Round holes - 4mm with all releasable punching dies and adjustable punching margin	Round holes - 4mm with thumbcut and releasable punching dies. For calendars

	Coil Binding		Universal punching
Block			
Punching capacity	30 sheets A4 - 80gsm	30 sheets A4 - 80gsm	30 sheets A4 - 80gsm
Binding Capacity	250 sheets	320 sheets	
Pitch	6,35mm - 4:1”	5mm	
Description	For plastic coil. Round holes - 4mm with releasable punching dies and adjustable punching margin	For metal coil. Round holes - 3,2mm with releasable punching dies and adjustable punching margin	Universal A4 punch for ring binders and archiving systems.

- **Enhancement and preservation of colour and contrast to images**
- **Professional, quality glossy-looking documents**
- **Long-terms document protection**
- **Quick and easy with immediate results**
- **Avoid creases, wrinkles & damages to important doc and presentations**
- **Protection from spills, rain, moisture, dirty hands**

Home Office

FL - 806 (A4)

Laminates pouches up to 150 micron
Touch panel high-tech sensor
Warms up in 1 minute
Reverse function to clear jams
Can laminate photos easily

FL - 906 (A3)

Laminates pouches up to 150 micron
Capable of cold laminating
Touch panel high-tech sensor
Warms up in 1 minute
Reverse function to clear jams
Can laminate photos, ID cards etc



	FL- 806 A4	FL- 906 A3
Heating Method	Hot Shoe	Hot Shoe
Max. Laminating Width	238mm	338mm
Thickness of Laminating Film	80mic - 150mic	80mic - 150mic
Laminating Speed	300mm/min	300mm/min
Ready Time	1 min	1 min
Temperature Control	Digital (PID)	Digital (PID)
Q'ty of Rollers	4	4
Temperature Controller	Yes	Yes
Automatic Turn Off	Yes	Yes
Reverse Function	Yes	Yes
Jam Cover up	No	No
Auto Dust Cover	No	No
Cooling Fan	Yes	Yes
Cold Laminating	No	Yes
Photo Laminating	Yes	Yes
Weight	3.17kg	4.04 kg
Dimension	480 x 400 x 388 mm	580 x 304 x 388 mm

Preserve and enhance your items with the easy-to-use TOFO Series pouch laminator. TOFO series pouch laminator has an auto-functions for more convenient use. Capable of laminating larger documents up to 340mm wide and heating up in only three minutes. It is perfect for both home or office use. Ideal for laminating ID cards, badges, membership cards, luggage tags, menus, certificates and more.

TOFO FS-240 (A4)

Laminates pouches up to 350 micron in thickness
Auto Dust Cover - to prevent dust entry when not in use.
Jam Cover up - to prevent jams
One Touch operating system
Reverse Function
Capable of Hot & cold laminating
Can also laminate photos



TOFO FS-340 (A3)

Laminates pouches up to 350 micron in thickness
Auto Dust Cover - to prevent dust entry when not in use.
Jam Cover up - to prevent jams
One Touch operating system
Reverse Function
Capable of Hot & cold laminating
Can also laminate photos.



"Economic spending, high performance gaining" is the nature of 150e series punch and bind products.

	FS- 240 A4	FS- 340 A3
Heating Method	Preheater + Hot Shoe	Preheater + Hot Shoe
Max. Laminating Width	240mm	340mm
Thickness of Laminating Film	150mic - 350mic	150mic - 350mic
Laminating Speed	590mm/min	590mm/min
Ready Time	3-5min	3-5min
Temperature Control	Digital (PID)	Digital (PID)
Q'ty of Rollers	4	4
Temperature Controller	Yes	Yes
Automatic Turn Off	Yes	Yes
Reverse Function	Yes	Yes
Jam Cover up	Yes	Yes
Auto Dust Cover	Yes	Yes
Cooling Fan	Yes	Yes
Cold Laminating	Yes	Yes
Photo Laminating	Yes	Yes
Weight	5 kg	6 kg
Dimension	520 x 210 x 134 mm	620 x 210 x 134 mm

Speedlam range of laminators are ideal for schools, offices, print shops, copy shops etc. Designed with a superior circuit system this laminator can endure heavy use with its durable thick sillicone rollers and Metal casing.

Speedlam R8

Laminates pouches up to 700 micron in thickness
Elegant appearance
Speed control
Wider LCD display with back light
Memory function - Optimized temperature and speed are preset for each film thickness.
Can also laminate photos

Speedlam R10

Laminates pouches up to 700 micron in thickness
Elegant appearance
Speed control
Wider LCD display with back light
Memory function - Optimized temperature and speed are preset for each film thickness.
Can also laminate photos

	Speedlam R8	Speedlam R10
Heating Method	Hot Roller Internal Heater	Hot Roller Internal Heater
Max. Laminating Width	330mm	330mm
Thickness of Laminating Film	150mic - 700mic	150mic - 700mic
Laminating Speed	3600mm/min	4000mm/min
Ready Time	5-6 min	5-6 min
Temperature Control	Yes	Yes
Q'ty of Rollers	8	10
Automatic Turn Off	Yes	Yes
Reverse Function	Yes	Yes
Cold Laminating	Yes	Yes
Photo Laminating	Yes	Yes
Weight	25 kg	25 kg
Dimension	653 x 350 x 146 mm	653 x 350 x 146 mm



- Accurate cutting of multiple pages simultaneously
- Safe cutting edges
- Professional look to all cuts
- Saves time on large volume cutting
- Ability to cut various paper sizes
- Guide lines for cutting alternative sizes

Light Duty

Kobra 320-R

Desk-top rotary trimmer

Cuts 5 sheets at a time
Cutting width 320mm
Equipped with transparent automatic paper press
Solid steel base with screen printed paper sizes
Side bars for easy alignment of material to cut
Special side openings to cut larger paper sizes
Push-button mechanism for easy replacement of the blade



Kobra 460-R

Medium size Desk-top rotary trimmer

Cuts 5 sheets at a time
Cutting width 460mm
Equipped with transparent automatic paper press
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Special side openings to cut larger paper sizes
Push-button mechanism for easy replacement of the blade



Kobra 1000-R

Large size desk top rotary trimmer

Cuts 8 sheets at a time
Cutting width 1000mm
Equipped with transparent automatic paper press
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Built-in housing can accommodate paper rolls
Special side openings to cut larger paper sizes
Push-button mechanism for easy replacement of the blade



	Kobra 320-R	Kobra 460-R	Kobra 1000-R
Cutting Width	320mm	460mm	1000mm
Cutting Capacity	5 sheets	5 sheets	8 sheets
Paper press	Automatic	Automatic	Automatic
Dimensions	487 x 212 h 84	627 x 212 h 84	1192 x 401 h 98

Kobra 1300-R

A0 size rotary trimmer

Cuts 8 sheets at a time
Cutting width 1300mm
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Built-in housing can accommodate paper rolls
Special side openings to cut larger paper sizes
Push-button mechanism for easy replacement of the blade
Also available as desk top version



	Kobra 1300-R
Cutting Width	1300mm
Cutting Capacity	8 sheets
Paper press	Automatic
Dimensions (with stand)	1492 x 401 h 1020



All model can cut paper sizes larger than the rated cutting width through special side openings

Special carbon hardened steel blade allows smooth cutting operations of high thickness of paper



Special sharpened carbon steel blade allows smooth cutting operations of high thickness of paper

Kobra 360-HR

High capacity desk-top heavy duty trimmer

Cuts up to 27 sheets at a time
Cutting width 360mm
Sharpened carbon hardened steel blades
Equipped with transparent automatic paper press
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Special side openings to cut larger paper sizes



Kobra 460-HR

High capacity desk-top heavy duty trimmer

Cuts up to 27 sheets at a time
Cutting width 460mm
Sharpened carbon hardened steel blades
Equipped with transparent automatic paper press
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Special side openings to cut larger paper sizes



Kobra 640-HR

Large size heavy duty desk-top trimmer

Cutting capacity of 27 sheets
Cutting width 640mm
Sharpened carbon hardened steel blades
Equipped with transparent automatic paper press
Side bars for easy alignment of material to cut
Solid steel base with screen printed paper sizes
Special side openings to cut larger paper sizes



	Kobra 360-HR	Kobra 460-HR	Kobra 640-HR
Cutting Width	360mm	460mm	640mm
Cutting Capacity	25-27 sheets	25-27 sheets	25-27 sheets
Paper press	Automatic	Automatic	Automatic
Dimensions	545 x 365 h 110	645 x 365 h 110	845 x 365 h 110

Kobra 360-EM

High performance guillotine

Cuts 15-20 sheets
Cutting Width 360mm
High performance guillotines at an affordable cost
Manual paper press with a built-in safety guard
Carbon Hardened steel precision blade and counter blade
Adjustable back gauge
Solid steel base with screen printed paper sizes



Kobra 430-EM

High capacity desk-top heavy duty trimmer

Cuts 15-20 sheets
Cutting width 430mm
High performance guillotines at an affordable cost
Manual paper press with a built-in safety guard
Carbon Hardened steel precision blade and counter blade
Adjustable back gauge
Solid steel base with screen printed paper sizes



Kobra 460-AP

Large size heavy duty desk-top trimmer

Cuts 30 sheets
Cutting width 460mm
Innovative automatic and progressive paper press
Special transparent Lexan hand safety guard
Adjustable back gauge
Solid steel base with screen printed paper sizes
Equipped with a high precision gear driven front paper bar for perfect paper alignment



	Kobra 360-EM	Kobra 430-EM	Kobra 460-AP
Cutting Width	360mm	430mm	460mm
Cutting Capacity	15-20 sheets	15-20 sheets	30 sheets
Paper press	Manual	Manual	Manual
Dimensions	300 x 400	300 x 470	355 x 500

Kobra 360-A

High performance guillotine

Cuts 25-30 sheets
Cutting Width 360mm
Innovative automatic and progressive paper press
Special transparent Lexan hand safety guard
Adjustable back gauge
Carbon hardened steel precision blade and counter blade
Solid steel base with screen printed paper sizes



Kobra 460-A

High performance guillotine

Cuts 30 sheets
Cutting width 460mm
Innovative automatic and progressive paper press
Special transparent Lexan hand safety guard
Adjustable back gauge
Carbon hardened steel precision blade and counter blade
Solid steel base with screen printed paper sizes
High cutting capacity and extra large cutting width



Kobra 550-AP

Professional guillotine

Cuts 40 sheets
Cutting width 550mm
Professional guillotines with largest cutting width
Easy and convenient to use
Automatic paper press with precision gear driven paper stop front bar for paper alignment & cutting accuracy
Special transparent Lexan hand safety guard
Solid Steel base with screen printed paper sizes



	Kobra 360-A	Kobra 460-A	Kobra 550-AP
Cutting Width	360mm	460mm	550mm
Cutting Capacity	25-30 sheets	30 sheets	40 sheets
Paper press	Automatic	Automatic	Automatic
Dimensions	300 x 400	355 x 500	355 x 590

KW-Trio 3022

Trimmer with stand

Cuts up to 8 sheets
Cutting Width 1300mm
Automatic paper clamp
Safety cutting head guard
Rotary blade



	KW-Trio 3022
Cutting Width	1300mm
Cutting Capacity	8 sheets
Paper press	Automatic clamp
Dimensions	1486 x 510 x 940mm

KW-Trio 3942

Manual Guillotine

Cuts up to 400 sheets
Cutting Width 430mm with fast flick action clamp
Steel paper guide and side lay with precise measuring scale
Safety guard on rear and front and resharpenable blades.
Equipped with a standard stand



KW-Trio 3946

Manual Guillotine

Cuts 600 sheets
Cutting width 434mm with spindle guided clamp
Steel paper guide and measuring scale
Safety guard on rear and front
Resharpenable blades
Equipped with a standard stand



KW-Trio 3952S

Electric Guillotine

Cuts 430 sheets
Cutting width 430mm with spindle guided clamp
Steel paper guide and measuring scale
Safety guard on rear and front
Resharpenable blades
Digital adjustment
Equipped with a standard stand

	KW-Trio 3942	KW-Trio 3946	KW-Trio 3952S
Cutting Width	430mm	434mm	430mm
Cutting Capacity	400 sheets	600 sheets	450 sheets
Paper press	Flick action clamp	Spindle guided	Spindle guided
Dimensions	1060 x 640 x 700mm	1080 x 680 x 740mm	1210 x 630 x 820mm

BINDING CONSUMABLES





LEATHER GRAIN BINDING COVERS
PVC COVERS
PLASTIC COMB BINDING ELEMENTS
THERMAL BINDING COVERS
WIRE BINDING ELEMENTS

LAMINATING CONSUMABLES

LAMINATING POUCHES AVAILABLE IN
ALL SIZES



For more information, please contact us on 086 111 4407
or email: sales@aztrading.co.za

DENTON OFFICE SOLUTIONS PTY (LTD)

Reg: 2003/026983/07
Vat: 4340210410

roto

DSB

KOBRA

neo rel

Speedlam

TOFO

KW-triO

www.dosptyltd.com

Tel: (011) 792 3857
Fax: (011) 792 9732
PO. Box 2411, Cresta, 2118
Email: tanya@dosptyltd.com